

Pro-Joist Saddle Flashing

BPIR Declaration

Designated building product: Class 1

Declaration

Undisclosed has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Pro-Joist Saddle Flashing
Identifier	PROJOIST

Description

Pro-Joist Saddle Flashings are moulded one-piece flashings for weatherproofing the junction where a cantilevered timber joists penetrates the wall underlay.

The saddle flashing is ultra-violet stabilised polypropylene plastic. Pro-Joist Saddle Flashings are available in two widths to suit single and double joists, 47mm & 94mm. The saddles can be cut to length to suit joist depths up to 250mm

Scope of use

Pro-Joist Saddle Flashings have been appraised for use as a saddle flashing for timber joists of cantilevered decks of buildings within the following scope; • the scope limitations of NZBC Acceptable Solutions E2/AS1, paragraph 1.1; • Situated in NZS 3604 Wind Zones up to, and including, Extra High.

Conditions of use

The system must be installed in accordance with the specifications and latest technical information and must comply with all relevant clauses of the NZBC

regulations and standards. Pro-Joist Saddle Flashings are not be left exposed to UV light for more than 30 days. Either paint or cover with scribes.

Soudal BlackJack sealant is the approved sealant to use between the Saddle and the cantilevered joist.

Installation to be carried by a Licensed Building Practitioner (LBP) or under the direct supervision of a LBP even if Restricted Building Work is not applicable under the Building Act 2004

Contributions to compliance

B2.3.1(b). Pro-Joists will achieve a minimum of 15 years durability as long as not exposed to UV for more 30 days and the saddle flashing is either protected from UV by a timber scribe or paint system.

E2. Pro-Joists comply with the dimensions as per E2/AS1 fig. 16. When used as part of a cladding system complying with NZBC, Pro-Joists will contribute to meeting this clause.

F2 There is nothing to cause harm to people or property.

Supporting documentation

The following additional documentation supports the above statements:

ProJoist Saddle Flashing BRANZ Appraisal	BRANZ 531 (2020)	https://d39d3mj7qio96p.cloudfront.net/media/documents/531_2020.pdf
Pro-Joist Specification	Mar 2023	https://www.mwnz.com/file/projoist-spec-2023/open
Pre-Cladding Product Warranty	AUG 2019	https://www.mwnz.com/file/pre-cladding-flashing-product-warranty/open

For further information supporting Pro-Joist Saddle Flashing claims refer to our website.

Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Undisclosed

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Pro-Joist Saddle Flashing is not subject to a warning on ban under [s26 of the Building Act](#).

Signed for and on behalf of **Undisclosed**:



Nick Batt
CEO
November 2023

| **Category:** Other (custom)
